

MAJOR SPECIES INDIGENOUS

	Major Species				Minor Species							
	Red Beech	Silver Beech	Rimu	Tawa	Kauri	Matai	Rewarewa	Totara	Miro	Hinau	Hard Beech	Black Beech
	<i>Nothofagus fusca</i>	<i>Nothofagus menziesii</i>	<i>Dacrydium cupressinum</i>	<i>Beilschmeidia tawa</i>	<i>Agathis australis</i>	<i>Prumnopitys taxiflora</i>	<i>Knightia excelsa</i>	<i>Podocarpus totara</i>	<i>Prumnopitys ferruginea</i>	<i>Elaeocarpus dentatus</i>	<i>Nothofagus truncata</i>	<i>Nothofagus solandri</i>
Sustainability												
MAF Approved ¹	●	●	●	●	●	●	●	●	●	●	●	●
FSC/ Greenstar		●										
Availability												
Readily available	●	●	●	●								
Limited availability					●	●	●	●	●	●	●	●
Key Applications												
Structural	●		●		●	●			●	●		●
Appearance	●	●	●	●	●	●	●	●	●	●	●	●
Finishing	●	●	●	●	●	●	●		●		●	
Veneer	●	●	●	●	●	●	●	●	●	●	●	●
Outdoor	●							●			●	●
Density @ 12% MC (kg/m³)	630	585	519	720	560	610	740	480	625	705	800	685
Durability of heartwood												
Interior use only		●		●		●	●		●	●		
Exterior exposed	●		●		●						●	●
In-ground								●				

1. The sustainable supply of indigenous timbers in NZ is regulated by the Ministry of Agriculture and Forestry